

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26098	(709/223,231;717/136,109,102;715/513,523,764;707/2,3,104.1,102).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 15:26
L2	23	1 and ((xml near4 metadata) same ("user interface" screen application browser) near9 (extension extend\$4 specif\$5 integrat\$4 enhanc\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 15:27
S1	219	((development framework) same ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 07:48
S2	63	S1 and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:06
S3	58	S2 and (browser HTML (application near2 "user interface"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:07
S4	53	S3 and (database RDBM DBM Oracle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:08
S5	42	((Webview Labview BEA "integrated development") and ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) and (wireless PDA) and (client same deliver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:11

EAST Search History

S6	57	((UML Labview BEA "integrated development") and ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) and (wireless PDA) and (client same deliver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:11
S7	63	((graphical near9 environment) UML IDE Labview BEA "integrated development" (Forte same Java)) and ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model) and (wireless PDA) and (client same deliver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:12
S8	63	S7 or S6 and Oracle.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:12
S9	0	(S7 or S6) and Oracle.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:23
S10	0	(S7 or S6) and PeopleSoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:23
S11	35	(S7 or S6) and (browser HTML) and metadata and (user near9 customi\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:14
S12	26	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:14
S13	26	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:15

EAST Search History

S14	9	S13 not Mamou.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:16
S16	30	("5,371,847" "5,385,088" "5,525,978" "5,625,763" "5,625,783" "5,721,850"" 5,832,481" "5,845,303" "5,916,310" "5,973,688" "6,0051568"" 6,014,638" "6,026,433" "6,067,552" "3,167,409"" 6,181,344" "6,249,284" "6,317,143" "6,549,199" "6,631,496" "6,934,697" 2001/0052910 2002/0057298 "20022097264" 2002/0199190 2004/0034833 2005/0114229 10/035,413 10/040,396 10/040,397 10/041015 10/165,623).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 08:03
S17	30	("5,371,847" "5,385,088" "5,525,978" "5,625,763" "5,625,783" "5,721,850"" 5,832,481" "5,845,303" "5,916,310" "5,973,688" "6,005,568"" 6,014,638" "6,026,433" "6,067,552" "3,167,409"" 6,181,344" "6,249,284" "6,317,143" "6,549,199" "6,631,496" "6,934,697" 2001/0052910 2002/0057298 "2002/2097264" 2002/0199190 2004/0034833 2005/0114229 10/035,413 10/040,396 10/040,397 10/041015 10/165,623).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 07:58
S18	10	("20010052910" "20020057298" "20022097264" "20020199190" "20040034833" "20050114229").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 08:07
S19	1	(S16 or S18) and model and (HTML markup xml tag) and ("integrated development" IDE framework)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 08:08
S20	716	(IDE PeopleSoft framework UML) and (((markup and tagged) XML) same (metadata specification)) and (((developer user) near4 (customi\$6 interact\$5)) same (interface model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:22

EAST Search History

S21	784	(IDE PeopleSoft framework UML) and (((markup and tagged) hypertext XML) same (metadata specification)) and (((developer user) near4 (customi\$6 interact\$5)) same (interface model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:22
S22	0	S21 and PeopleSoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:23
S23	11	S21 and Oracle.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:25
S25	245	S21 not S23 and ((database DBM RDBM) with query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:27
S26	12	metadata same (("application interface" browser) near6 (extend\$4 extension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:28
S27	52	metadata same (("application interface" browser) near6 (associated extend\$4 extension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:28
S28	219	((development framework) same ((generat\$4 develop\$5) near8 (user adj2 interface))) and ((configurable modif\$5 customi\$6) near6 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:29
S29	0	S28 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:29

EAST Search History

S30	21	S28 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:30
S31	131	"717"/\$ and metadata and query and (user near9 (interact\$5 customi\$6) same (model interface (form and field))) and (page html browser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:34
S32	53	(S20 or S21 or S25 or S27 or S28) and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 10:10
S33	2	"6621505".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 09:44
S34	15	("6621505").URPN.	USPAT	OR	OFF	2006/06/21 09:44
S36	1	IDE and (Javascript 'Visual Basic') and Accenture.as. and (metadata with (repository database datastore))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 10:12
S37	26	("5287266" "5295064" "5475753" "5495610" "5602997" "5630068" "5682525" "5729697" "5732399" "5740549" "5751246" "5821513" "5859969" "5877759" "5892905" "5920700" "5979757" "6006171" "6023766" "6112304" "6198722" "6289382" "6321263" "6366912" "6457066" "6782408").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 10:28
S38	2	Bowman.in. and metadata.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 10:29
S39	2	Bowman.in. and "meta-data".ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 10:33

EAST Search History

S40	3	Bowman.in. and (XML same message)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 10:33
S41	12	Accenture.as. and (XML same message)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 11:39
S42	6	((retriev\$4 generat\$5) near9 (XML near4 (specification metadata))) same ((customiz\$6 modif\$4 reconfigur\$4 chang\$5) near9 (model interface activity))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 11:43
S43	0	("6993745").URPN.	USPAT	OR	OFF	2006/06/21 11:44
S44	22	("20010044811" "20020156772" "20030005410" "5640550" "5857194" "5960200" "6125391" "6182024" "6209124" "6230117" "6347307" "6418446" "6418448" "6446110" "6502236" "6519617" "6523042" "6550054" "6604100" "6609108" "6618852" "6687873").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 11:44
S45	20	(US-20060059253-\$ or US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-6519571-\$ or US-6999956-\$ or US-6621505-\$ or US-6748569-\$ or US-6327628-\$ or US-7003560-\$ or US-5892905-\$ or US-6643652-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6636242-\$ or US-6601233-\$ or US-6993745-\$ or US-6604100-\$ or US-6550054-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/06/21 11:51
S46	9	S45 and query and (((user adj interface) activity view) same customi\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 11:53
S47	2	"7020697".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 11:53

EAST Search History

S48	20	(US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-6519571-\$ or US-6999956-\$ or US-6621505-\$ or US-6748569-\$ or US-6327628-\$ or US-7003560-\$ or US-5892905-\$ or US-6643652-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6636242-\$ or US-6601233-\$ or US-6993745-\$ or US-6604100-\$ or US-6550054-\$ or US-7020697-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/06/21 12:18
S49	8	S48 and (user near2 profil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 12:19
S50	20	(US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-7020697-\$ or US-6519571-\$ or US-7003560-\$ or US-6999956-\$ or US-6748569-\$ or US-6643652-\$ or US-6636242-\$ or US-6621505-\$ or US-6601233-\$ or US-6327628-\$ or US-5892905-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6604100-\$ or US-6550054-\$ or US-6993745-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/06/22 09:33
S51	9	S50 and model\$5 and activity and screen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:11
S52	25	(xml near4 metadata) same (("user interface" screen application browser) near9 (extension extend\$4 integrat\$4 enhanc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 15:26

EAST Search History

S53	20	(US-20040034833-\$ or US-20020184610-\$ or US-20040205731-\$).did. or (US-6519571-\$ or US-6999956-\$ or US-6621505-\$ or US-6748569-\$ or US-6327628-\$ or US-7003560-\$ or US-5892905-\$ or US-6643652-\$ or US-6477580-\$ or US-6684222-\$ or US-6523042-\$ or US-6636242-\$ or US-6601233-\$ or US-6993745-\$ or US-6604100-\$ or US-6550054-\$ or US-7020697-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/06/22 13:13
S54	1	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:13